



CEDATA Übersicht Scoring Systeme

für Endoskopie bei Kindern und Jugendlichen mit chronisch entzündlicher Darmerkrankung

SES-CD für M. CROHN

	0	1	2	3
Ulzerationen	/	 1 - 5 mm	 15 - 20 mm	 > 20 mm
Anteil ulzerierter Oberfläche	/	< 10 %	10 - 30 %	> 30 %
Anteil entzündlicher Oberfläche	/	< 50 %	50 - 70 %	> 70 %
Stenosen	/	 Einzel, passierbar	 Multiple, passierbar	 Unpassierbar
Summe der 5 einzeln beurteilten Segmente Σ		1 Terminales Ileum 2 Colon ascendens 3 Colon transversum 4 Colon descendens 5 Rektum		< 3 Inaktiv 3-6 milde Aktivität 7-15 moderat ≥ 16 schwere Aktivität

UC EIS für COLITIS ULCEROSA

	0	1	2	3
Gefäßzeichnung	 Normal	 Patchy/fleckförmig	 Aufgehoben	/
Blutung	/	 Kleine mukosale Blutung	 Mild luminal	 Moderate oder schwere luminal Blutung
Erosionen/ Ulzerationen	/	 Erosionen < 5mm	 > 5mm oberflächliche Ulzera	 Tiefe Ulzera mit erhobenem Rand

LITERATUR Daperno M, D'Haens G, Van Assche G, Baert F, Bulois P, Maunoury V, Sostegni R, Rocca R, Pera A, Gevers A, Mary JY, Colombel JF, Rutgeerts P. Development and validation of a new, simplified endoscopic activity score for Crohn's disease: the SES-CD. Gastrointest Endosc 2004; 60 (4): 505-512. Travis SPL, Schnell D, Krzeski P, et alDeveloping an instrument to assess the endoscopic severity of ulcerative colitis: the Ulcerative Colitis Endoscopic Index of Severity (UCEIS)Gut 2012;61:535-542